



Polar Temp Ice Merchandisers

2008 Product Line

Retail Ice Merchandisers
Indoor & Outdoor Models
Glass Door Models
Upright Models
Slant Front Models
Low Profile Models
Transpak–Exportable Models
Ice Transport Trailers
Ice Transport Truck Body Boxes
Stationary Back-Stock-Boxes
Ice Sculpture Boxes
Specialty Refrigerators and Freezers



Polar Temp Merchandisers 1540 Westfork Drive Lithia Springs, GA 30122 (T/F) 877-984-5945
865-984-5945

www.polartemp.com

June 2008

Polar Temp - Our Features, Options and Customer Benefits

Superior Selection of Models – Allows you to Pick the Best Merchandiser for the Location

Merchandiser Cabinets are Total Steel Construction – Durable & Long Lasting Box Life

Additional CFC Free Insulation In Walls, Tops & Bottoms - Keeps the Cold In & the Heat Out

Cerma-A-Star High Performance Paint – Rock Hard Finish Stands up to the Elements

Seal Welded Doors with Built In Magnetic Gaskets – Durability with a Tight Seal Fit

Double Pane Tempered Safety Glass – Creates an Attractive & Impressive Visual Display

Automatic Door Closers on All Hinges – Keeps the Cold In and the Heat Out

Factory Pre-Tested Refrigeration Systems – Provide Years of Trouble Free Operation

Poly-Slide-Feet – Makes Moving Merchandisers Easy & Without Marring the Floor

Five Year Compressor Warranty – The Best Warranty in the Industry

Optional Colors, Graphics and Lighting – Creating the Best Looking Display for the Location

Transpak & Exportable Units – Provides Freight Savings on Container & Truckload Orders



Retail Merchandisers – Selection – Simplicity of Design - Serviceability

Polar Temp Products – Over 35 Models in 73 Different Configurations

All Units are Factory Run-Tested – with supporting performance test chart

50 & 60 Cycle Models Available

Cerama-A-Star White High Performance Painted Surfaces

Stainless Steel Harsh Environment Models Available

3" of Foam Insulation in the Top and Bottom Sections (R Value = R19.98)

2" of Foam Insulation on the Side Wall Sections (R Value = R13.3)

Durable Seam-Welded Doors with Magnetic Gaskets

Heavy Duty Hinges and Latches

Optional Lighting Kits – T-12 Florescent or High Impact LED Lighting

Solid Door Outdoor Models

Glass Door Indoor Models

Auto Defrost and Cold Wall Models

Top Mounted, Bottom Mounted and Notch-Top Refrigeration Decks

Removable & Washable Air Filters on Bottom Mount Models

No Rust – Easy Slide - Poly Skid Rail Feet That Won't Marr Floors

Standard & Optional Graphics Available

Standard White Painted Surfaces & Optional Colors Available

Transpak & Exportable – Models Available

ETL Approved



Indoor Retail Ice Merchandiser – Upright - Glass Door Models (7) Models in (14) Configurations

Auto Defrost

Model 300 AD

Model 420 AD

Model 630 AD

Model 670 AD

Model 750 AD

Model 850 AD

Model 1000 AD

Cold Wall

Model 300 CW

Model 420 CW

Model 630 CW

Model 670 CW

Model 750 CW

Model 850 CW

Model 1000 CW





Model 300G Unit – Upright

Auto Defrost Glass (ADG) or Cold Wall Glass (CWG)

(100) 8 lbs. Bag Capacity – 30 Cu. Ft.

Single Glass Door – (1) 26" W X 44" H Door

DMS: 36" W X 30" D X 79" H

388 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

¼ HP - R-404a Refrigerant

Optional: Lighting Kits, Colors & Graphics



Model 420G Unit – Upright

Auto Defrost Glass (ADG) or Cold Wall Glass (CWG)

(125) 8 lbs. Bag Capacity – 42 Cu. Ft.

Single Glass Door – (1) 26" W X 44" H Door

DMS: 48" W X 30" D X 79" H

440 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

¼ HP - R-404a Refrigerant

Optional: Lighting Kits, Colors & Graphics



Model 630G Unit – Upright

Auto Defrost Glass (ADG) or Cold Wall Glass (CWG)

(200) 8 lbs. Bag Capacity – 62.4 Cu. Ft.

Single Glass Door – (1) 26" W X 44" H Door

DMS: 62" W X 35" D X 79" H

525 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/3 HP - R-404a Refrigerant

Optional: Lighting Kits, Colors & Graphics

Model 650G Unit – Upright

Auto Defrost Glass (ADG) or Cold Wall Glass (CWG)

(200) 8 lbs. Bag Capacity – 58.8 Cu. Ft.

Double Glass Door (2) 26" W X 44" H Doors

DMS: 72" W X 30" D X 79" H

535 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/3 HP - R-404a Refrigerant

Optional: Lighting Kits, Colors & Graphics





Model 670G Unit – Upright

Auto Defrost Glass (ADG) or Cold Wall Glass (CWG)
(200) 8 lbs. Bag Capacity - 65 Cu. Ft.

Double Glass Door – (2) 26" W x 44" H Doors

DMS: 62" W X 35" D X 79" H

570 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/3 HP - R-404a Refrigerant

Optional: Lighting Kits, Colors & Graphics



Model 750G Unit – Upright

Auto Defrost Glass (ADG) or Cold Wall Glass (CWG)
(230) 8 lbs. Bag Capacity – 75 Cu. Ft.

Double Glass Door – (2) 26" W X 44" H Doors

DMS: 72" W X 35" D X 79" H

635 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/3 HP - R-404a Refrigerant

Optional: Lighting Kits, Colors and Graphics





Model 850G Unit – Upright

Auto Defrost Glass (ADG) or Cold Wall Glass (CWG)

(255) 8 lbs. Bag Capacity – 85 Cu. Ft.

Double Glass Door – (2) 26" W X 44" H Doors

DMS: 84" W X 35" D X 79" H

640 lbs. Shipping Wt.

115/1/60 Electrical – 20 Amp Service Required

½ HP - R-404a Refrigerant

Optional: Lighting Kits, Colors & Graphics



Model 1000G Unit – Upright

Auto Defrost Glass (ADG) or Cold Wall Glass (CWG)

(320) 8 lbs. Bag Capacity – 100 Cu. Ft.

Double Glass Door – (2) 26" W X 44" H Doors

DMS: 94" W X 35" D X 79" H

670 lbs. Shipping Wt.

115/1/60 Electrical – 20 Amp Service Required

½ HP - R-404a Refrigerant

Optional: Lighting Kits, Colors & Graphics



Outdoor Retail Ice Merchandisers – Upright – Solid Door Models

(9) Models in (18) Configurations

Auto Defrost

Model 300 AD

Model 420 AD

Model 630 AD

Model 650 AD

Model 670 AD

Model 750 AD

Model 850 AD

Model 1000 AD

Model 2000 AD

Cold Wall

Model 300 CW

Model 420 CW

Model 630 CW

Model 650 CW

Model 670 CW


Model 750 CW

Model 850 CW

Model 1000 CW

Model 2000 CW





Model 300 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

Single Door – (1) 26" W X 44" H Door

(100) 8 lbs. Bag Capacity – 30 Cu.Ft.

DMS: 36" W X 30" D X 79" H

365 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/4 HP - R-404a Refrigerant



Model 420 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

Single Door – (1) 26" W X 44" H Door

(125) 8 lbs. Bag Capacity – 42 Cu. Ft.

DMS: 48" W X 30" D X 79" H

400 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/4 HP - R-404a Refrigerant

44" Wide Transpak & Export (AD) Models Available



Model 630 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

(200) 8 lbs. Bag Capacity – 62.4 Cu. Ft.


Single Door – (1) 26" W X 44" H Door

DMS: 62" W X 35" D X 79" H

500 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/3 HP - R-404a Refrigerant



Model 650 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

(200) 8 lbs. Bag Capacity – 59 Cu. Ft.

Double Door – (2) 26" W X 44" Doors

DMS: 70 1/4" W X 30" D X 78" H

450 lbs. Shipping Wt.


115/1/60 Electrical – 15 Amp Service Required

1/3 HP - R-404a Refrigerant

* Transpak & Export (AD) Models Available*



POLAR TEMP
ICE MERCHANDISERS



Model 670 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

(255) 8 lbs. Bag Capacity – 63 Cu. Ft.


Double Door – (2) 26" W X 44" H Doors

DMS: 62" W X 35" D X 79" H

570 lbs Shipping Wt.

115/1/60 Electrical

1/3 HP - R-404a Refrigerant



Model 750 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

(230) 8 lbs. Bag Capacity – 75 Cu. Ft.

Double Door – (2) 26" W X 44" H Doors

DMS: 70-1/4" W X 35" D X 79" H

605 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/3 HP - R-404a Refrigerant



Model 850 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

(255) 8 lbs. Bag Capacity – 85 Cu. Ft.

Double Door – (2) 26" W x 44" H Doors

DMS: 84" W X 35" D X 79" H

642 lbs. Shipping Wt.

115/1/60 Electrical – 20 Amp Service Required

½ HP - R-404a Refrigerant

Model 1000 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

(320) 8 lbs. Bag Capacity - 100 Cu. Ft.

Double Door – (2) 26" X 44" Doors

DMS: 94" W X 35" D X 78" H

680 lbs. Shipping Wt.

115/1/60 Electrical – 20 Amp Service Required

½ HP - R-404a Refrigerant



Model 2000 Outdoor Unit – Upright

Auto Defrost (AD) or Cold Wall (CW)

(600) 8 lbs. Bag Capacity - 200 Cu. Ft.

Double Door – (2) 26" X 44" Doors

DMS: 96" W X 48 D X 76" H

750 lbs. Shipping Wt.

115/1/60 Electrical – 20 Amp Service Required

$\frac{3}{4}$ HP – R-404a Refrigerant

Optional 3 Door Model Available

Outdoor Retail Ice Merchandisers – Slant Front – Solid Door Models

(3) Models in (6) Configurations

Auto Defrost

Model 380 AD

Model 600 AD

Model 900 AD

Cold Wall

Model 380 CW

Model 600 CW

Model 900 CW





Model 380 Outdoor Unit – Slant Front

Auto Defrost (AD) or Cold Wall (CW)

Single Door – (1) 27" W X 27" H Door

(120) 8 lbs. Bag Capacity - 38 Cu. Ft.

DMS: 48" W X 35" D X 72" H

385 lbs. Shipping Wt.

115/1/60 Electrical – 10 Amp Service Required

1/4 HP - R-404a Refrigerant



Model 600 Outdoor Unit – Slant Front

Auto Defrost (AD) or Cold Wall (CW)

Double Door – (2) 27" W X 27" H Doors

(200) 8 lbs. Bag Capacity – 63 Cu. Ft.

DMS: 70 1/4" W X 35" D X 72" H

420 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/3 HP - R-404a Refrigerant



Model 900 Outdoor Unit – Slant Front

Auto Defrost (AD) or Cold Wall (CW)

(285) 8 lbs. Bag Capacity – 85.6 Cu. Ft.

Double Door – (2) 27" X 27" Doors

DMS: 94" W X 35" D X 72" H

595 lbs. Shipping Wt.

115/1/60 Electrical – 20 Amp Service Required

1/2 HP - R-404a Refrigerant

Outdoor Retail Ice Merchandisers – Low Profile – Solid Door Models

VISION-TEMP Low Profile Slant Front Merchandisers Fit Below Windows for Full Outdoor View - Available in (2) Models and (4) Configurations -

Auto Defrost

Model VT- 400 AD

Model VT- 570 AD

Cold Wall

Model VT- 400 CW

Model VT- 570 CW



VISION-TEMP





Model VT 400 Unit – Low Profile Slant Front

Auto Defrost (AD) or Cold Wall (CW)

Double Door – (2) 27" X 27" Doors

(120) 8 lbs. Bag Capacity – 40 Cu. Ft.

DMS: 72 W X 35" D X 49" H

460 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/3 HP – R-404a Refrigerant



Model VT 570 Unit – Low Profile Slant Front

Auto Defrost (AD) or Cold Wall (CW)

Double Door – (2) 27" X 27" Doors

(190) 8 lbs. Bag Capacity – 60 Cu. Ft.

DMS: 96" W X 35" D X 49" H

500 lbs. Shipping Wt.


115/1/60 Electrical – 15 Amp Service Required

1/3 HP – R-404a Refrigerant


Transpak & Exportable Models Maximize Your Shipping Cost

Polar Temp's XPORTABLE
is the world's most efficient merchandiser shipping system. Twice as many merchandisers with every shipment. The XPORTABLE'S patent pending delivery system takes advantage of every cubic foot of space in the trailer. You receive merchandisers for your shipping dollar . . . not wasted empty space.

BY POLAR TEMP




Nothing Stacks up like Polar Temp.



TRAILER CAPACITY:	
LENGTH	QUANTITY
40	42
45	48
48	48
53	54

Finding value and creating profit for our customers is what PolarTemp is all about.



For more information call the factory sales location near you.
Georgia 877-984-5945
Texas 866-598-4206
North Carolina 866-827-3232
Colorado 877-376-0367
California 866-746-0437

www.polartemp.com

1520 Westfork Drive, Lithia Springs, GA 30122 • Email: sales@polartemp.com • Fax: 866-984-5945



Transpak Models –Exportable Models – Domestic & Export Truck/Container Loads Savings



Units are stacked to Maximize Trailer Space

Factory Tested – Refrigeration Systems

Simple 30 Minute Assembly Time Required

Auto-Defrost Drop-In Refrigeration Deck

Pre-Drilled Door Holes Make Mounting Easy

Straight – Front Indoor or Outdoor Models

Model 420 – Capacity 125 Bags
Single Door

Model 650 – Capacity 200 Bags
Double Door

Freight Savings – With Minimal Labor Per Box

Price Savings – With Minimal Labor Per Box

Creates a Faster Return on Investment Per Box



The 300 Series

NEW RETAIL SOLUTION AVAILABLE - Matching Refrigerator and Freezer Sections
Perfect For Selling Packaged Goods, Beverages, Ice or Frozen Foods Products

Adjustable Temperature Control Set Points to Meet Most Product Requirements

Refrigerator (34 degrees F to 40 degrees F)

Freezer (10 degrees F to 20 degrees F)



The 300 Series

REFRIGERATOR & FREEZER UNITS

Extra Large Single Glass Door

(3) Heavy Duty Adjustable Shelves

With Removable Air-Filter

36" W X 36" D X 78" H

340 lbs. Shipping Wt.

115/1/60 Electrical – 15 Amp Service Required

1/4 HP – R-404a Refrigerant

Optional: Lighting Kits, Colors & Graphics



Polar Temp Can Also Provide - High Capacity Storage Solutions

Bulk Storage Boxes and Back Stock Dock Boxes

Airline Catering – Supermarkets - High Volume Liquor Stores

Available in (4) Sizes and (8) Configurations With Additional Access Doors

(3 X 7) (4 X 8) (5 X 9) & (5 X 10) With Auto Defrost or Cold Wall Refrigeration



Truck Body Ice Transport Systems Available in (4) Sizes and (8) Configurations

3 X 7 Auto Defrost (AD) or Cold Wall (CW) Single Swing Door (Mini-Pick-ups)

4 X 8 Auto Defrost (AD) or Cold Wall (CW) Single Swing Door (1/2 & 3/4 Ton Pick-ups)

5 X 9 Auto Defrost (AD) or Cold Wall (CW) Dual Swing Doors (3/4 Ton Pick-ups)

5 X 10 Auto Defrost (AD) or Cold Wall (CW) Dual Swing Doors (3/4 Ton Pick-ups)

* Note: Dual Door Transports Will Accommodate Standard Pallet Size Loads.*



POLAR TEMP
ICE MERCHANDISERS

Ice Transport Trailer Systems Available in (4) Sizes and (8) Configurations



- 3 X 7 Auto Defrost (AD) or Cold Wall (CW)
- 4 X 8 Auto Defrost (AD) or Cold Wall (CW)
- 5 X 9 Auto Defrost (AD) or Cold Wall (CW)
- 5 X 10 Auto Defrost (AD) or Cold Wall (CW)


(5 X 9) & (5 X 10) Transports are Double Door Models



The POLAR EXPRESS 5x9 - Perfect for Delivery and Your Largest Special Events

Features include:

- * Total steel construction
- * Custom painted exterior
- * Foamed-in-place polyurethane insulation
- * Heavy duty truck type hinges and lockable door latch
- * Heavy gauge smooth aluminum floor plate
- * Front-mounted, weatherized refrigeration unit
- * Easy pallet load design



Specifications include:

- * 3" thick, foamed-in-place insulation
- * Cubic feet - 250
- * Capacity - approx. 680 7 lb. bags

Interior dimensions:

- * Width 53"
- * Length 105"
- * Height 79"

Exterior dimensions:

- * Width 56"
- * Length 108"
- * Height 82"

Transport Options:

- * Automatic defrost or cold wall refrigeration system
- * Custom painted exterior
- * Strip curtain



Call factory for trailer specifications

* Truck size required - 1 ton

Call today for more information on the full line of high quality Polar Temp Ice Merchandisers.

877-984-5945 • 800-241-9778 • www.polartemp.com

1520 Westfork Drive, Lithia Springs, GA 30122



ICE TRANSPORT TRAILERS

Special Events Sales

Hot Shot Ice Delivery

Emergency Ice on Location

Double Door Models
Will Accept Pallet Loads

Heavy Duty Trailers
Built to Haul Ice

Oversized Generator
Packages to Protect
Your Profits

Recessed Door Design
Protects Seals & Gaskets
From the Elements




POLAR TEMP
ICE MERCHANDISERS

Southeast Cooler

SCULPTURE ICE LOCKERS

- * Full Length Doors
Provide Easy Access
- * Heavy Duty Hardware
- * Optimum Temperature



* MODEL SL1000 (Open View)



* MODEL SL1000
Outside Dimensions:
84w x 50d x 84h

**PROTECT YOUR
SCULPTURES FROM
DAMAGE; STORE
LONGER & SAFER WITH
SOUTHEAST COOLER
SCULPTURE LOCKERS**

ICE SCULPTURE LOCKERS

The Perfect Solution for
Storing and Preserving
Valuable Ice Sculptures

Carving Blocks Storage

Large Double Doors

Easy to Load & Unload

Specialty Sizes Available
Upon Request



POLAR TEMP
ICE MERCHANDISERS

Sales Office Locations & Contact Information

Dedicated and Experienced Team Members are Always Ready to Assist You

Byron Thatcher 3286 Northpark Blvd. Suite E Alcoa, TN 37701 (T/F) 877-984-5495 (E) sales@polartemp.com

Bobbie Yearout 3286 Northpark Blvd. Suite E Alcoa, TN 37701 (T/F) 877-984-5495 (E) sales@polartemp.com

Annette Peters 1414 Catalpa Street Center, TX 75935 (T/F) 866-598-4206 (E) polartemp@att.net

Rhonda Adney 645 Hofman Drive Shafter, CA 93263 (T/F) 866-746-0437 (E) radney@bak.rr.com

Patti Franklin PO Box # 1235 Belmont, NC 28012 (T/F) 866-827-3232 (E) hfranklin89@bellsouth.net

Becky Mitchell PO Box # 549 Buford, GA 30515 (T/F) 800-554-4852 (E) siscoproductsinc@bellsouth.net

Francis Hill 204 Pendleton Lane Dumas, AR 71639 (T/F) 877-710-8797 (E) fhill@polartemp.com

Mike Landino 2345 N. Academy Pl. #122 Colorado Springs, CO 80917 (T/F) 877-376-0367 (E) polartemp1@cs.com

Jon Noble 2201 Long Prairie Rd. Suite 107 Flower Mound, TX 75022 (T/F) 877-576-6253 (E) jnoble@secooler.com

www.secooler.com www.polartemp.com www.ice-max.com www.siscoproductsinc.com www.aieexchange.com

